# TECHNICAL INFORMATION Theatre at Notre Dame High School

# SEATING CAPACITY

Total fixed seats 768

## ADA SEATING

6 end of row positions in orchestra 2 clear areas in mid orchestra 2 clear areas in rear orchestra 22 total positions wheel-chair lift available house left to stage level

## STAGE DIMENSIONS

Proscenium width - 39'5" Proscenium height - 18' Stage depth from apron to back wall - 33'11" Depth from apron to front curtain - 6'8" Stage right wing from locking rail to deck - 8'2" Stage left wing from wall to deck - 11' Deck - 48'w x 29'7" deep Deck to back wall (crossover) - 3'8" Stage surface - resilient plywood painted

# RIGGING

Single purchase counterweight Total line sets - 23 on 1' centers Empty and available - 10 Available with house trim set removed - 17 Never available - 6 Cable picks - 7 each side on pin rail galleries Locking rail stage right at deck level Deck to steel - 40' 10" Height to pin rail gallery stage right - 20'7" Height to loading gallery stage right - 30' Height to pin rail gallery stage left - 20'7" Trim height - 21' Last line set to back wall - 3'8" Batten length - 48'

#### SOFT GOODS

Legs - 3 sets - black - flat - 22'x 6' Borders - 3 - black - flat - 48' x 6' Tabs - 4 - black - flat - 12' x 22' Cyclorama - light blue - muslin - 48' x 22' Black scrim - 48' x 22' White scrim - 48' x 22' Mid stage traveler (permanent) 75% full - black - 46' x 22' Main curtain - sea foam green - 58' 6'' x 22' - operates as traveler or up/down

# Lighting

126 - 2.4K Strand dimmers
FOH position - line drive winch system - circuits 1-24
House left box boom - circuits 25-28
House right box boom - circuits 29 - 32
First electric - circuits 33 - 56
Second electric - circuits 57 - 74
Third electric - circuits 75 - 98
SL pin rail gallery - circuits 99 - 106
SR pin rail gallery - circuits 119- 126
Back wall - circuits 107 - 118
DMX at FOH, Ist,2<sup>nd</sup>, 3<sup>rd</sup> electrics, proscenium wall stage left & right
Strand 300 console located in booth on second level rear of house
Strand 301 console located stage left proscenium wall
ROAD SWITCHES 300amp 3-phase - located upstage right wall
Separate isolated ground 20amp outlets located around stage and in sound and light booth

## INSTRUMENT SCHEDULE

Strand 23/50° zoom ellipsoidal - 575W - 12 Altman Star Pars (interchangeable lenses) - 575W - 10 Strand 26° ellipsoidal - 575W - 8 Strand 36° ellipsoidal - 575W - 24 Altman 6" Fresnel - 750W - 24 Cyclorama strips - 3 circuit - EYC - 6 Four way barn doors - 8 Pin to pin - 25" - 10 Pin to pin 5' - 5 Pin to pin 10' - 10 Twofers - 12 Pin to Edison - 3' - 6

## SOUND

Yamaha M2500/32 located in booth second level at rear of house (alternate location in audience) clusters - 2 (3 - AC2212/64 speakers each) Lectro AM8 auto mixer for backstage and lobby mix BLU16 audio processor - 1 DriveRack220i processors - 3 CTS600 amplifiers - 3 CTS 2000 amplifier - 1 CTS8200 amplifier - 1 AC2212/95 speakers - effects - 2 Four additional speaker jacks located orchestra left and right and left right walls mid audience LSR 6325 control room monitors - 3 ASB6118 subwoofer - 1 (jacks SL & SR proscenium walls) SRX 712M monitor speakers - 2 Four discrete monitor sends to stage Audio patch panels - 4 located stage front, sl & sr proscenium walls, and upstage wall TELEX two channel communications Jacks located - booth, SL& SR, orchestra, upstage wall, pin galleries SL & SR, box booms, dressing rooms and shop Paging available backstage and in lobby from stage manager position stage left LS04216 Assisted listening system- 4 receivers

# SOUND INVENTORY

DN C615 CD player - 1 PMD505 dual well cassette deck - 1 AEW5111 dual wireless system - 1 AEW5255 dual wireless system - 1 PCM81 effects processor - 1 SHURE SM58 - 2 SHURE SM81 - 1 Wireless lapel - 2 Wireless handheld - 2 AT853RX - 3 hanging over stage (permanent) Microphone stands (with boom arms) - 2 Misc. cables xlr

## OTHER INFORMATION

Dressing rooms - 2 12' x 8', 8 mirror stations, make up lights, communication, phone, 2 sinks, bathroom Backstage hallway 74"L x 8'7"W x 12'H Scene Shop - 12W' x 36'L x 12'H Loading door from dock into scene shop - 12' x 8'3" Loading doors from scene shop through to stage right 12' x 5' 10" Loading dock 15' x 15' x 3'9"H Follow spot positions (video and additional control area) - 2 located either side of sound and light booth Throw to stage - 89'6" Orchestra area (for pit musicians) 46"L x 13'W (flat - no pit)

# FOR FURTHER INFORMATION OR FOR BOOKING INFORMATION PLEASE CALL

Jim Winston / Technical Director 570-629-6474 dlwrrfan@ptd.net